Project Note	
Date: August 14, 2014	35 th Avenue Birmingham, Jefferson County, Alabama EPA ID Number: ALD000828848
Organization: OTIE EPA Region 4 START Contract Name: Alexis A. McKinnon Signature: Subject: FEMA Floodplain Maps	
Find attached the FEMA Floodplain Maps 01073C0383G and 01073C0384G indicating flood likelihood on 5-Mile Creek in the area of the 35 th Avenue site. These maps were obtained through the FEMA website at: https://msc.fema.gov/portal/search?AddressQuery=birmingham%2C%20al .	
RESPONSE REQUIRED (x) None () Phone call () Memo () Letter () Report	
cc: (x) File () Project Manager () Principal Investigator () Other (specify)	

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where Base Flood Elevations To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Boundaries of the **floodways** were computed at cross sections and interpolate between cross sections. The floodways were based on hydraulic consideration with regard to requirements of the National Flood insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by flood control structures. Refer to Section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) Zone 16. Horizontal datum was NAD 83, GR880 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map

Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at http://www.ngs.noaa.gov/ or contact the National Geodetic Survey at the following

Spatial Reference System Division National Geodetic Survey, NOAA Silver Spring Metro Center 1315 East-West Highway Silver Spring, Maryland 20910 (301) 713-3191

To obtain current elevation, description, and/or location information for bench marks shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit its website at http://www.ngs.noaa.gov/.

Base map information shown on this FIRM was derived from multiple sources. Base map files were provided in digital format by Jefferson County, AL, Department of Information Technology. This information was photogrammetrically compiled at a scale of 1°=100′ from aerial photography dated 2001.

Based on updated topographic information, this map reflects more detailed and up-to-date stream channel configurations and filodoplain delineations than those shown on the previous FIRM for this jurisdiction. As a result, the Flood Profiles and Floodway Data tables may reflect stream channel distances that differ from what is shown on the map. Also, the road to floodplain relationships for from the control of the cont

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.


Coastal Base Flood Elevations shown on this map apply only landward of 0.0" NAVD 88. Users of this FIRM should be aware that coastal food elevations are also provided in the Summary of Stillwater Elevations table in the Flood insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations the Summary of Stillwater Elevations table in the Summary of Stillwater Elevations table in Summary of Stillwater Elevations table should be used for construction and/or floodplain management

Please refer to the separately printed Map Index for an overview map of the county showing the layout of map panels; community map repository address; and a Listing of Communities table containing National Flood insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact the FEMA Map Service Center at 1-800-358-9818 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and for digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-359-8020 and is website at Imp_Diwww.mcs.tema.gov/.

If you have questions about this map or questions concerning the National Flood Insurance Program in general, please call 1-877-FEMA MAP (1-877-336-2627) or visit the FEMA website at https://www.fema.gov/.


STATE OF ALABAMA FIRM PANEL LOCATOR DIAGRAM







In cooperation with the Federal Emergency Management Agency (FEMA) and local communities in Alabama, this Flood Insurance Rate Map was developed by the Alabama Office of Water Resources in a digital statewide format to assist communities in their efforts to minimize the loss of property and life through refictively managing development in flood-prone areas. The State of Alabama has implemented a long term approach to floodplain management to reduce the impacts of flooding. This is demonstrated by the States commitment on application of the state of the State of Alabama Pasi floodplain areas at the local level. As part of this effort, the Alabama Office of Water Resources is working closely with FEMA as a Cooperating Technical Partner to produce and maintain this digital FIRM.



LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHAS) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

I flood (100-year flood), also known as the base flood, is the flood that has a 1% g equialed or exceeded in any given year. The Special Flood Hazard Area is the flooding by the 1% annual chance flood. Area of Special Flood Hazard include AH, AO, AR, A99, V, and VE. The Base Flood Elevation is the water-surface 1% annual chance flood.

No Base Flood Elevations determined.

Base Flood Elevations determined. ZONE AH Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.

ZONE AO Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.

Special Flood Hazard Area formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood. ZONE AR

Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

OTHER AREAS

ZONE X

ZONE D

Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAS)

1% annual chance floodplain boundary

0.2% annual chance floodplain boundary Floodway boundary

____ Zone D boundary CBRS and OPA boundar

Boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths or flood velocities. Base Flood Elevation line and value; elevation in feet*

Base Flood Elevation value where uniform within zone; elevation in feet*

enced to the North American Vertical Datum of 1988 Cross section line

Geographic coordinates referenced to the North American Datum of 1983 (NAD 83)

5000-foot grid ticks: Alabama State Plane coordinate system, west zone (FIPSZONE 01073), Lambert Conformal Conic projection.

Bench mark (see explanation in Notes to Users section of this FIRM panel)

M1.5

87°07'45", 32°22'30"

⁴²76^{000M}E

600000 FT

DX5510 x

MAP REPOSITORY Refer to listing of Map Repositories on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP January 20, 1999 EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

June 16, 1999 September 29, 2006 - to update map format

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.



MAP SCALE 1" = 500" 250 0 500 METERS 160

PANEL 0384G

FIRM FLOOD INSURANCE RATE MAP

JEFFERSON COUNTY, ALABAMA

AND INCORPORATED AREAS

PANEL 384 OF 755

INSTURATION FOR PROCESSAM

邑

(SEE LOCATOR DIAGRAM OR MAP INDEX FOR FIRM PANEL LAYOUT) CONTAINS:

COMMUNITY

010116 0384 G 010131 0384 G

NUMBER PANEL SUFFD

MAP REVISED MAP NUMBER SEPTEMBER 29, 2006 01073C0384G





State of Alabama Federal Emergency Management Agency

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be

To obtain more detailed information in areas where Base Flood Elevations (BFEs) and/or floodways have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Sillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for food insurance rating purposes only and should not be used as the sole source of flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance

The projection used in the preparation of this map was Universal Transverse Mercator (UTM) Zone 16. Horizontal datum was NAD 83, GR880 spheroid. Differences in datum, spheroid, projection or UTM zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the North American Vertical Datum of 1988. These flood elevations must be compared to structure and ground elevations referenced to the same vertical datum. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at https://doi.org/10.1007/j.ncm/no.noaa.gov/ or contact the National Geodetic Survey at the following address:

Spatial Reference System Division National Geodetic Survey, NOAA Silver Spring Metro Center 1315 East-West Highway Silver Spring, Maryland 20910 (301) 713-3191

To obtain current elevation, description, and/or location information for benc narks shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242, or visit its website at http://www.ngs.noaa.gov/.

Base map information shown on this FIRM was derived from multiple sources. Base map files were provided in digital format by Jefferson County, AL, Department of information Technology. This information was photogrammetrically compiled at a scale of 1"=100" from aerial photography dated 2001.

Based on updated topographic information, this map reflects more detailed and up-to-date stream channel configurations and floodplain delineations than those shown on the previous FIRM for this jurisdiction. As a result, the FIRM for this principlation as a result, the form what is shown on the map. Also, the road to floodplain relationships for unrevised streams may differ from what is shown on previous maps.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.


Coastal Base Flood Elevations shown on this map apply only landward of 0.0' NAVD 88. Users of this FiRM should be aware that coastal flood elevations are also provided in the Summary of Stilliwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stilliwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each

Contact the FEMA Map Service Center at 1-800-358-9616 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study report, and /or digital versions of this map. The FEMA Map Service Center may also be reached by Fax at 1-800-358-9620 and its website at http://www.msc.fema.gov/

If you have **questions about this map** or questions concerning the National Flood insurance Program in general, please call **1-877-FEMA MAP** (1-877-336-2627) or visit the FEMA website at http://www.fema.gov/.


STATE OF ALABAMA FIRM PANEL LOCATOR DIAGRAM







In cooperation with the Federal Emergency Management Agency (FEMA) and local communities in Alabama, this Flood Insurance Rate Map was developed by the Alabama Office of Water Resources in a digital statewide format to assist communities in their efforts to minimize the loss of property and life through effectively managing development in flood-prone areas. The State of Alabama has implemented a long term approach to floodplain management to reduce the impacts of flooding. This is demonstrated by the States commitment to map floodplain areas at the local level. As part of this effort, the Alabama Office of Water Resources is working closely with FEMA as a Cooperating Technical Partner to produce and maintain this digital FIRM.



LEGEND

ZONE A99

ZONE X

ZONE D

(EL 987)

4276^{000M}E

600000 FT

DX5510 ×

SPECIAL FLOOD HAZARD AREAS (SFHAs) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

The 1% annual flood (100-year flood), also known as the base flood; is the flood that has a 1% chance of being equaled or exceeded in any given year. The Special Flood Hazard Area is the reas subject to flooding by the 1% annual chance flood. Areas of Special Flood hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AK, A99, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

No Base Flood Elevations determined. Base Flood Elevations determined.

ZONE AE Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.

ZONE AO

Special Flood Hazard Area formerly protected from the 1% flood by a flood control system that was subsequently decert indicates that the former flood control system is being resti protection from the 1% annual chance or greater flood.

Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations

ZONE V Coastal flood zone with velocity hazard (wave action); no Base Floor Elevations determined.

ZONE VE Coastal flood zone with velocity hazard (wave action); Base Flood Flood State of Coastal flood control of the Coastal flood control

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood height.

OTHER FLOOD AREAS

OTHER AREAS

Areas determined to be outside the 0.2% annual chance floodplain Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAS) 17.7

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas

0.2% annual chance floodplain boundary

CBRS and OPA boundar

Boundary dividing Special Flood Hazard Areas of different Base ------ 513 ······ Base Flood Elevation line and value; elevation in feet*

Base Flood Elevation value where uniform within zone; elevation feet*

Referenced to the North American Vertical Datum of 1988

Transect line

87°07'45", 32°22'30" Geographic coordin of 1983 (NAD 83)

1000-meter Universal Transverse Mercator grid values, zone 16

5000-foot grid ticks: Alabama State Plane coordinate system, west zone (FIPSZONE 01073), Lambert Conformal Coni

Bench mark (see explanation in Notes to Users section of this FIRM panel)

• M1.5

MAP REPOSITORY Refer to listing of Map Repositories on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

June 16, 1999 September 29, 2006 - to update map formal

For community map revision history prior to countywide mapping, refer to the Community M. History table located in the Flood Insurance Study report for this jurisdiction. To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.



MAP SCALE 1" = 500' 1000 FEET

METERS

FIRM

FLOOD INSURANCE RATE MAP

PANEL 0383G

JEFFERSON COUNTY, ALABAMA AND INCORPORATED AREAS

PANEL 383 OF 755

(SEE LOCATOR DIAGRAM OR MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

INSURVANCE PROGRAM

0000

료

NATIONAL

COMMUNITY BIRMINGHAM, CITY OF FULTONDALE, CITY OF

 NUMBER 010116
 PANEL 0383
 SUFFIX G

 010121
 0383
 G

 010217
 0383
 G

 010131
 0383
 G

Notice to User: The Map Number shown below should be used when placing map orders; the Community Number shown above should be used on insurance applications for the subject community.

MAP REVISED MAP NUMBER SEPTEMBER 29, 2006 01073C0383G





State of Alabama Federal Emergency Management Agency